

2170 S. Towne Centre Place, Suite 100 Anaheim, CA 92806 (714) 254-3410 Fax: (469) 621-5602

# INCLUDE THE FREEMAN METHOD OF PAYMENT FORM WITH YOUR ORDER

	PAYMENT FORM WITH YOUR ORDER
NAME OF SHOW: AORN GLOBAL SURGICAL CONFERENCE &	& EXPO 2020 / MARCH 29 - 31, 2020
COMPANY NAME:	BOOTH #: BOOTH SIZE: X
CONTACT NAME:	PHONE #:
E-MAIL ADDRESS:	
For Assistance, please call (714) 254-3410 to speak with one of our exp	perts.
For, fast, easy ordering,	go to www.freeman.com
HANGING SIGN LABO	R AND EQUIPMENT
INSTRUCTIONS	EQUIPMENT AND LABOR RATES
<ul> <li>Standard prices will apply if the hanging sign is not received by the warehouse shipping deadline date.</li> </ul>	TO HANG SIGNS Straight Time
<ul> <li>If these instructions are not followed and/or orders are not complete and submitted by the order deadline date, Freeman cannot guarantee the hanging of your sign or advance pricing. Show Site orders might not be accepted due to advance clearance requirements.</li> </ul>	8:00 A.M. to 4:30 P.M., Monday through Friday  Overtime  4:30 P.M. to 8:00 A.M. Monday through Friday and all day Saturday and Sunday.  Holiday
<ul> <li>Overhead hanging signs are to be sent in separate containers directly to advance warehouse using the <u>Hanging Sign Labels</u>. This container MUST arrive by the warehouse shipping deadline date.</li> </ul>	All day on Holidays. <u>Crew Size</u> - MINIMUM of two people  Materials  Cable, clamps, etc. are additional and charged accordingly
<ul> <li>Hanging Structures are permitted in most areas of the convention center with the exception of meeting rooms and lobbies. All ceiling rigging must conform to Show Management rules and regulations and facility limitations.</li> </ul>	Equipment With Crew     Standard prices will apply to all hanging sign orders placed at show site.     Rates are per lift and crew per hour
<ul> <li>Freeman is the exclusive contractor for all ceiling-hung materials. All truss systems must also meet all facility rules and regulations.</li> </ul>	One hour minimum per lift/crew - lift/crew thereafter is charged in half (1/2) hour increments
<ul> <li>All overhead hanging must be assembled, installed, and removed by Freeman. Please refer to the Freeman Terms and</li> </ul>	Straight time cannot be guaranteed
Conditions found in the Exhibitor Services Manual as it relates.	Straight Time Overtime Holiday
<ul> <li>Set up instructions must be provided for signs needing assembly.</li> </ul>	Boom Lift with crew (up to 200 lbs lift capacity)           Advance Price
<ul> <li>Hanging anchor points must be pre-fabricated and ready for use.</li> </ul>	Assembly Labor (Per person / Per hour)
<ul> <li>Electrical signs must be in working order and in accordance with the National Electrical Code. ELECTRICAL SERVICE requirements must be ordered in advance on the enclosed</li> </ul>	Advance Price\$141.25 \$254.25 \$325.00 <b>Standard Price</b> \$197.75 \$356.00 \$455.00
ELECTRICAL SERVICE Order Form.	For Display Work Only (Not to hang sign)  20' Scissorlift with crew (up to 350 lbs lift capacity)
<ul> <li>If any hang point supports over 250 lbs., notify Freeman immediately for special authorization.</li> </ul>	Advance Price\$510.00 \$736.00 \$877.50 <b>Standard Price</b> \$714.00 \$1030.50 \$1228.50
SIGN DESCRIPTION, SIZE & WEIGHT  • For signs other than banners, include blueprint or drawing	*Requested Install Date: Time:
with detailed information so hanging anchor points may be	Installation Estimate Condor/Crew
determined. Incomplete or missing information may delay your installation.	Approx Hours Hourly Rate Total Estimated Cost @ =
Number of signs to be hung:	*Requested Dismantle Date: Time:
Type: ☐ Cloth Banner ☐ Metal ☐ Wood	Dismantle Estimate Condor/Crew
Other	Approx Hours Hourly Rate Total Estimated Cost
Shape: Square Circle Rectangle Triangle	*Requested dates & times are not guaranteed.
Other Size: HeightLengthWidthWeight	Supervision for assembly and disassembly of overhead
Is Electrical Required? Yes No	hanging sign can be provided by Freeman, or by your company
s Assembly Required? Yes No	representative, display house, independent or lighting contractor.
s Your Sign Designed to Rotate?	Please indicate method of supervision you require for assembly/disassembly:
Does Your Sign Require Motors or Truss? Yes No	☐ OK to proceed without Exhibitor Supervision ☐ Wait for Exhibitor Personnel
Quantity: ☐ Provided with Sign ☐ Need to Order*	Display House to supervise
*See motors & truss form  Placement Diagram:	Additional crew and/or equipment will be used if the su- pervisor deems it necessary to safely complete the instal- lation and/or dismantling of a job and it will be charged
No. of feet from floor to top of sign	accordingly.  INBOUND SHIPPING
Submit a scaled floor plan indicating exact sign placement complete with dimensions, booth orientation and indicating	☐ Shipping to Advance Warehouse
surrounding aisle or booth numbers. Complete the Hanging Sign	Deadline for Receipt: MARCH 19, 2020
Placement Diagram OR if sign is <u>centered</u> , check here.	Shipping to Show Site Date of Arrival:

$\subseteq$	
1	)
	_
<b>-</b>	
_	)
D	)
	J
$\sim$	7
11	ر
hanging sign placemen	_
_	)
_	
	_
$\overline{U}$	5
	4
7	7
	7
•=	
C	7
_	-
_	
π	3
_	
	7
	_
_	<b>\</b>
	>
	_
Ш	
$\overline{\Box}$	ī
Ш	J
$   \mathcal{C} $	
	-

O. 4 D. 4	020				OIVI L	T T T T T T T T T T T T T T T T T T T			20 / MAF	(011 2	-		
OMPANY NAME:								PHONE			BOOT	TH SIZE:	X
ONTACT NAME:  -MAIL ADDRESS:								PHON	E #.				
MAIL ADDITEGO.	61	PUC	TUDA	T IN	TEG	DITY	OF H	ANGI	NG ST	CDLIC	THE	_	
Please attach <b>C</b>											IUK	5	
Structural Engin Any part of an e seismic safety o All truss system points and weig All truss and mo Contractor be pe Freeman.  REEMAN REQUIR OF THE RIGGING F  NFORMATION MAN	of the workland of the worklan	eight spent Rement Reme	pecifica cules & outline Motor Sig. ture mu pe susp ch poin Il be operate the NEER P DAD RE OUR T	ations for Regular reg	or all ations alations orders orders or a sure a sure a sure control of TRED IN RIG F	Fruss S for height for	tructure the given to accord to be accord to	es. rictions first pri pmpani e equali Il requi nel only r loweri  GHTING 3 WEE	ority. ed by b ing 1/3 re detail . At no r ing truss GRIGG EKS PRI	oth a \ the hei led blu time wi syster	Weight of e print II any Ens. All	the structs that in Exhibitor of Distros v	vill be handled by
or pre rigging plea	ase cor	itact F	reemar	າ for a	vailab	ility.							
ghting Designer I ote: ANAHEIM CC			ENTEF	₹ riggi	ng reç	gulatio	ns mus	st be a	dhered	to.			
ame:							Phor	ıe:					
ompany Name: _							Ema	il:					
-			TIVN'S	NING	010	V DI 4	O E M			VALV			
a a mid balaw masy	ha min								DIAGE		401 v. 4	101	al accommunic t
ne grid below may evelop your own pl	be prin an for la	arger e	ıayout y xhibits.	your na Pleas	anging se com	g sign ir plete a	normai s clearl	ion ior y as pc	pooins essible,	י טו עם indicati	40 x 4	following	ed as a sample i g:
ooth orientation. orient your booth	to the o	verall f	loor pla	n so th	nat the	diagra	m does	not ha		e rotate	ed.	nd booth:	s. Also, please tr
	.											_    - 	
		$\pm$										djacer	
		1 1 1	-				-	+		$\overline{}$			
								$\pm\pm\pm$				- Ais	
ei Si												t Aisle or E	
m left side												t Aisle or Booth	
in from left side												Adjacent Aisle or Booth #	
feet in from left side												t Aisle or Booth #	
er of faet in from left side												t Aisle or Booth #	
Jumber of feet in from left side												#	
/ Number of feet in from left side												#	
/ Number of feet in from left side												#	
												#	
*												#	
*												#	
*												Alsle or Booth #/ Number of feet in from right side	
												#	

A measurement scale can be applied as necessary to reflect your booth size.

☐ 10' x 10' use 1 square = 1/4ft

☐ 40' x 40' use 1 square = 1ft

Adjacent Aisle or Booth # \_\_\_\_

 $\square$  20'x20' use 1 square =  $\frac{1}{2}$ ft  $\square$  30ft x 30ft use 1 square = 3/4 ft

\_\_\_\_\_/ Number of feet in from BOTTOM of exhibit space \_\_\_

☐ Customize your grid \_\_\_\_ft x \_\_\_\_ft use 1 square = \_\_\_\_foot

## FREEMAN

2170 S. Towne Centre Place, Ste 100 Anaheim, CA 92806 (714) 254-3410 Fax: (469) 621-5602

### **PLEASE INCLUDE THIS FORM** WITH YOUR HANGING SIGN **ORDER FORM**

## STRUCTURAL INTEGRITY STATEMENT THIS FORM MUST BE RETURNED FOR ALL SUSPENDED STRUCTURES

exhibitor at the AORN GLOBAL SURGICAL CONFERE MARCH 29 - 31, 2020 and (if applicable), the display had aforementioned exhibitor, do hereby certify and guarantees for the hanging structure have been properly engineered a certify that the structure can be hung safely and has bee all applicable regulations and safety measures.  We hereby release, indemnify and forever hold harmless ANAHEIM CONVENTION CENTER, FREEMAN, and directors, officers, employees, representatives, agents and against any and all liability, claims, damage, los arising from the installation, use or dismantling of this strusupporting in excess of 200 lbs. may be verified (metered expense.	that the stress points and tested. We further n constructed to meet the <b>ASSOCIATION</b> , its subsidiaries, their and contractors from its, fines, or penalties acture. All hang points
Exhibiting Company:	Booth #:
Authorized Signature:	
Printed Name:	_ Date:
E-Mail:	<u>.</u>
Display House/Builder (if applicable):	
Authorized Signature:	
Printed Name:	Date:
E-Mail:	
Complete and return form to address listed at the top	

of this form.



2170 S. Towne Centre Place, Suite 100 Anaheim, CA 92806 (714) 254-3410 Fax: (469) 621-5602

# INCLUDE THE FREEMAN METHOD OF PAYMENT FORM WITH YOUR ORDER

NAME OF SHOW: AORN GLOBAL SURGICAL CONFERENCE & EXPO 2020 / MARCH 29 - 31, 2020							
COMPANY NAME:		BOOTH #:	BOOTH SIZE:	Χ			
CONTACT NAME:		PHONE #:					
E-MAIL ADDRESS							

For Assistance, please call (714) 254-3410 to speak with one of our experts.

For, fast, easy ordering, go to www.freeman.com

#### **MOTORS AND TRUSS**

- For custom quotes on truss or lighting, please call (714) 254-3400 and ask for the Exhibitor Sales Department.
- ELECTRICAL SERVICE requirements to power the motors must be ordered in advance on the ELECTRICAL SERVICES ORDER FORM.
- ELECTRICAL or HANGING SIGN LABOR requirements to assemble and hang the truss and motors must be ordered in advance on the appropriate order form.
- The cost of Material Handling is included in the rates listed below.
- Please select a color for items indicated with \*. If no color selection is made, silver will be selected for you.
- Orders received after the deadline date will be charged the Standard Price.

Description	Ac I	lvance Standard Price Price	Total	
EQUIPMENT				
Quarter Ton Hoist	637.15	892.00	\$	
Half Ton Hoist	637.15	892.00	\$	
One Ton Hoist	637.15	892.00	\$	
Rotating Motor	516.25	722.75	\$	
12" Box Truss (per foot)*	26.55	37.15	\$	
12" Corner Blocks*	91.50	128.10	\$	
20.5" Box Truss (per foot)*	34.70	48.60	\$	
20.5" Corner Blocks*	101.80	142.50	\$	
Total for Equipment			\$	
* Select Color for Truss and Corner Blocks:  (If a color choice is not indicated, silver will be selected)	☐ Black d for you.)	Silver		
Please indicate what you will be hanging with the a	bove equip	ment:		
Hanging Sign				
Lighting Truss				
Combination of Both				

STRUCTURAL INTEGRITY STATEMENT MUST ACCOMPANY ORDER